

## **AMENDMENTS TO THE CLAIMS**

A complete listing of the claims is provided below, in accordance with the provisions of 37 CFR 1.121.

1. (Currently Amended) A device that is one of a mobile telephone or a calculator for inputting graphical location data and alphanumerical data to a remote computer having a graphical display, the device comprising:

(a) a short range wireless communication portion configured to communicate with the remote computer having a graphical display, the remote computer responsive to input at the device;

~~(([a])b)~~a graphical location data entry portion,~~including at least one click button,~~  
operative configured for inputting graphical location data to ~~[[a]]~~ the remote  
computer having ~~[[a]]~~ the graphical display through the communication  
portion; and

~~(([b])c)~~an alphanumerical data entry portion, including a plurality of keys,  
operative configured for inputting alphanumerical data to ~~[[a]]~~ the remote  
computer having the graphical display through the communication portion,  
wherein the inputting of alphanumerical data includes an enactment of one  
or more keys.

2. (Original) The device of claim 1 wherein the enactment of one or more keys comprises:

(a) a single enactment of a single key; and

(b) a simultaneous enactment of a combination of keys.

3. (Previously Presented) The device of claim 2 wherein the inputting of alphanumerical data by way of a simultaneous enactment of a combination of keys comprises the enactment of substantially vertically adjacent keys, substantially horizontally adjacent keys, diagonally adjacent keys and non-adjacent keys.

4. (Original) The device of claim 1 wherein said alphanumerical data comprises
  - (a) one or more characters;
  - (b) a phrase; and
  - (c) a command function.
5. (Original) The device of claim 1 wherein the alphanumerical data entry portion of the device is arranged to operate for input of alphanumerical data in a plurality of modes, and wherein the enactment of keys in a specific mode operates to input a set of alphanumerical data specific to said mode.
6. (Original) The device of claim 5 further comprising means for indicating whether the alphanumerical data entry portion is operating in a specific mode.
7. (Original) The device of claim 6 wherein said indicating means comprises a light emitting diode (LED).
8. (Original) The device of claim 1 further comprising software to audibly disclose each accepted input of alphanumerical data.
9. (Original) The device of claim 1 wherein the graphical location data entry portion and the alphanumerical data entry portion can each be separately activated or deactivated by a command function.
10. (Original) The device of claim 1 wherein the alphanumerical data entry portion includes at least two columns and at least two rows of keys.
11. (Original) The device of claim 10 wherein the alphanumerical data entry portion includes at least three columns and at least four rows of keys.
12. (Original) The device of claim 1 wherein the alphanumerical data entry portion includes at least one user programmable key.
13. (Currently Amended) The device of claim 1 wherein the graphical data entry portion includes at least ~~2 click buttons~~ one click button.

14. (Currently Amended) The device of claim 1 further comprising a scroll wheel input function.
15. (Original) The device of claim 1 further comprising a single input port.
16. (Original) The device of claim 1 further comprising a cordless input port.
17. (Original) The device of claim 1 further comprising a rechargeable battery source.
18. (Original) The device of claim 1 further comprising a solar cell power source.
19. (Cancelled)
20. (Cancelled)
21. (New) A mobile telephone communicatively connected to a remote computer having a graphical display, the telephone comprising:
- (a) a short range cordless communication portion configured to provide communication between the telephone and the remote computer; and
  - (b) a graphical location data entry portion configured for inputting graphical location data to the remote computer, the graphical display and the remote computer responding to the input of graphical location data to control the graphical display.
22. (New) A mobile telephone communicatively connected to a remote computer having a graphical display, the telephone comprising:
- (a) a short range cordless communication portion configured to provide communication between the telephone and the remote computer; and
  - (b) an alphanumeric data entry portion-configured for inputting alphanumeric data to the remote computer, the graphical display and the remote computer responding to the input of alphanumeric data to control the graphical display.